


Satiny Lipstick – “BE HAPPY”

BELIEVE IN YOURSELF

Trend Colors - Autumn/Winter 2024/2025



Product Name	INCI Name	%W/W	Supplier
A			
TIXOGEL-VSP	Cyclopentasiloxane (and) Cyclohexasiloxane (and) Quaternium-90 Bentonite (and) Propylene Glycol	20.00	www.byk.com
Ceraphyl 368	Ethylhexyl Palmitate	5.00	www.ashland.com
Miglyol OE	Oleyl Erucate	7.00	www.ioioleo.de
Softisan 100	Hydrogenated Coco-Glycerides	9.00	www.ioioleo.de
Softisan 142	Hydrogenated Coco-Glycerides	5.00	www.ioioleo.de
Softisan 649	Bis-Diglyceryl Polyacyladipate-1	8.00	www.ioioleo.de
SilShine 151	Phenylpropyldimethylsiloxysilicate	4.00	www.momentive.com
Isofol 20	Octyldodecanol	8.70	www.sasol.com
Lexgard O	Caprylyl Glycol	1.00	www.inolex.com
Ewacera 42	Candelilla Cera	4.50	www.wagnerlanolin.de
Ewacera 12	Cera Alba	5.00	www.wagnerlanolin.de
Ewacera 34	Carnauba Wax	4.00	www.wagnerlanolin.de
B			
SYNCRYSTAL Copper	Synthetic Fluorophlogopite (and) Iron Oxides	10.00	www.eckart.net
SYNCRYSTAL Soft Ivory	Synthetic Fluorophlogopite (and) Titanium Dioxide (and) Iron Oxides (and) Tin Oxide	8.00	www.eckart.net
dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	0.50	www.jandekker.com
Apricot	Aroma	0.30	www.pura-natura.com

Procedure:

1. Heat phase A until it is melted (85°)
2. Add one by one phase B and stir until uniform
3. Pour phase AB into lip stick mold
4. Cool down to RT



Stability:

Stable for at least 6 months at RT and 40°C
Stable for at least 1 month at 50°C

Customer Support:

ECKART GmbH
info.eckart@altana.com

ECKART America Corporation
info.eckart.cosmetics@altana.com

ECKART Asia Limited
info.eckart.asia@altana.com

This document does not constitute a legally binding obligation of Eckart. While the information contained herein and our technical advice – whether verbal, in writing or by way of trials – are given in good faith, it is provided for your guidance only. We recommend testing our products as to their suitability for your envisaged purpose prior to use. Furthermore, you are responsible for observing all laws and regulations relevant to any products mentioned herein and the products' application. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties.